



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/685,940	10/14/2003	Eric M. Rentschler	10004119-3	7688

7590 02/02/2006

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P. O. Box 272400  
Fort Collins, CO 80527-2400

EXAMINER

KIM, HONG CHONG

ART UNIT PAPER NUMBER

2185

DATE MAILED: 02/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/685,940

Applicant(s)

RENTSCHLER ET AL.

Examiner

Hong C. Kim

Art Unit

2185

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 5-19 is/are pending in the application.
- 4a) Of the above claim(s) 1-4 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 5-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-4 are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 October 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 10/14/03.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

**Detailed Action**

***Election/Restriction***

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

I. Claim 1-4, drawn to a selective frequency multiplication, classified in class 327, subclass 121.

II. Claim 5-19, drawn to a multiple or variable intervals or frequencies, classified in class 713, subclass 502.

2. The inventions are distinct, each from the other because of the following reasons:

Inventions groups I and II are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention in groups I-II has separated utility because each of the invention claims memory access operations as stated in the previous paragraph. Each of the claimed invention groups can be used separately in a memory system. See MPEP § 806.05(d).

3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification and recognize divergent subject matter, and because the searches required for the different groups is not entirely coextensive restriction for examination purposes as indicated is proper.

4. During a telephone conversation with Mr. Gregory Osterloth (reg. No. 36,232) on 1/26/06 a provisional election was made with traverse to prosecute the invention of Group (II), claims 5-19. Affirmation of this election must be made by applicant in replying to this Office action. Claims 1-4 withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(l).

6. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

### ***Examination***

1. Claims 5-19 are presented for examination. This office action is in response to the application filed on 10/14/2003.

2. Applicants are requested to update the status of the related U.S. patent application accordingly (e.g., U.S. Patent Application Serial No. #####,### filed Sept.

07, 1990, now abandoned; ..., now U.S. Patent #,###,### issued Jan. 01, 1994; or This application is a continuation of Serial Number ###/###,###, filed on December 01, 1990, now abandoned; ...etc.). Also applicants are requested to include the status of the related U.S. applications or patents in the CROSS-REFERENCE TO RELATED APPLICATIONS section and in any other corresponding area in the specification, if any.

### ***Information Disclosure Statement***

3. The information disclosure statement (IDS) submitted on 10/14/2003 is being considered by the examiner.

The examiner requests, in response to this Office action, any reference(s) known to qualify as prior art under 35 U.S.C. sections 102 or 103 with respect to the invention as defined by the independent and dependent claims. That is, any prior art (including any products for sale) similar to the claimed invention that could reasonably be used in a 102 or 103 rejection. This request does not require applicant to perform a search. This request is not intended to interfere with or go beyond that required under 37 C.F.R. 1.56 or 1.105.

The request may be fulfilled by asking the attorney(s) of record handling prosecution and the inventor(s)/assignee for references qualifying as prior art. A simple statement that the query has been made and no prior art found is sufficient to fulfill the request. Otherwise, the fee and certification requirements of 37 CFR section 1.97 are waived for those documents submitted in reply to this request. This waiver extends only to those documents within the scope of this request that are included in the application's

first complete communication responding to this requirement. Any supplemental replies subsequent to the first communication responding to this request and any information disclosures beyond the scope of this are subject to the fee and certification requirements of 37 CFR section 1.97.

In the event prior art documentation is submitted, a discussion of relevant passages, figs. etc. with respect to the claims is requested. The examiner is looking for specific references to 102/103 prior art that identify independent and dependent claim limitations. Since applicant is most knowledgeable of the present invention and submitted art, his/her discussion of the reference(s) with respect to the instant claims is essential. **A response to this inquiry is greatly appreciated.**

**The examiner also requests**, in response to this Office action, support be shown for language added to any original claims on amendment and any new claims. That is, indicate support for newly added claim language by specifically pointing to page(s) and line number(s), in the specification and/or drawing figure(s). This will assist the examiner in prosecuting the application.

4. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. The title should be more specific to differentiate the invention from similar inventions in the patent literature. Data pads in sync with a strobe pad, multiplexed to generate single data stream and two data streams and counter to count received strobe edges aspects of the invention should be mentioned in the title so that the title is more descriptive.

### ***Drawings***

5. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the data pads in sync with a strobe pad, multiplexed to generate single data stream and two data streams and counter to count received strobe edges wherein particular counts of strobe edges received at a particular strobe pad cause data to be received by particular ones of the P storage elements associated with data pads corresponding to the particular strobe pad must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

6. The disclosure is objected to because of the following informalities: It appears that added limitation "a strobe that is received at or generated by a corresponding one of said strobe pads" "for each data pad, receiver circuitry comprising P storage elements, wherein in a first mode, data bits stored by the P storage elements are multiplexed to generate a single data stream, and in a second mode, data bits stored in the P storage elements are multiplexed to generate at least two data streams" and "wherein particular counts of strobe edges received at a particular strobe pad cause data to be received by particular ones of the P storage elements associated with data pads corresponding to the particular strobe pad" was not described in the specification at the time the application was filed. Also above limitation is not adequately described in the specification. Appropriate correction/explanation is required.

### ***DOUBLE-PATENTING***

7. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225



USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

8. Claims 5-19 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-27 of U.S. Patent No. 6,633,965. Claims of patent No. 6,633,965 contains every element of claims 5-19 of the instant application and as such anticipates claims 5-19 of the instant application.

#### ***Allowable Subject Matter***

9. Claims 5-19 are objected but would be allowable if overcome objections and rejections.

#### ***Conclusion***

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See attached PTO-892.
2. A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) days from the mail date of this letter. Failure to respond within the period for response will result in **ABANDONMENT** of the application (see 35 USC 133, MPEP 710.02, 710.02(b)).
3. When responding to the office action, Applicant is advised to clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. He or she must also show how the amendments avoid such references or objections. See 37 C.F.R. ' 1.111(c).
4. When responding to the office action, Applicants are advised to provide the examiner with the line numbers and page numbers in the application and/or references cited to assist examiner to locate the appropriate paragraphs.
5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hong Kim whose telephone number is (571) 272-4181. The examiner can normally be reached on M-F 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on (571) 272-4182. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 whose telephone number is (571) 272-2100.

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

7. **Any response to this action should be mailed to:**

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**or faxed to TC-2100:**  
571-273-8300

Hand-delivered responses should be brought to the Customer Service Window (Randolph Building, 401 Dulany Street, Alexandria, VA 22314).

HK  
Primary Patent Examiner  
January 29, 2006

